






REV.	ECO. NO.	DESCRIPTION	DATE
A	DWG. REL.	APPROVED	
B	ES101138		
C	ES150209	Add a cap	
D	ES180822	B-2 Area: Change 1.00 to 0.05 to 1.000 D-4 Area: Change 0.700 to 0.72 Pin Material: Change Brass to Phosphor Bronze	2018.08.24
E	ES230611	B-6 Area: Add Specifications	2023.07.05



PCB LAYOUT

Note:  
 Material:  
 Insert: High Temperature Thermoplastic, UL94V-0, Natural  
 Contact: Phosphor Bronze/Tin plated  
 Solder Tabs: Brass/Tin plated  
 Solder Tabs: Phosphor Bronze/Tin plated

Specifications:  
 Current Rating: 1A AC/DC  
 Voltage Rating: 50V AC/DC  
 Temperature Rating: -25°C ~ +85°C

General part number:  
 1010P \*\* MV00  
 1  
 1.No.of circuits.(02-21)

A=1.00(.039 ")mm \*No.of Spaces  
 B=A+3.00(.118")mm  
 C=A+1.50(.059")mm

TOLERANCE UNLESS OTHERWISE SPECIFIED			LEOCO CORPORATION <a href="http://www.leoco.com.tw">http://www.leoco.com.tw</a>			
mm	mm	inch	APPROVED BY:	DATE:	TITLE:	
[inch]	mm	inch	Chard	2023.07.05	1.00mm PITCH WAFER-SMT TYPE	
1 PLACE	± 0.30	± ---	CHECKED BY:	DATE:		
2 PLACES	± 0.20	± .012	DRAWN BY:	DATE:	PART NO.: 1010P**MV00	
3 PLACES	± 0.10	± .008	Merry	2023.07.05		
4 PLACES	± ---	± .004	SIZE: A3	SCALE: 1:1	DRAWING NO.: 101004S	REV.: E SHEET: 1 OF 1
ANGULAR ±1°						